FIG 1





FIG.2



TRANSMIT DATA (BASED ON STORED CONNECTION ID) S18 2 RETURN · CONVERT DATA BASED ON URL (www. ggg. co. jp→GATEWAYNAME/AAA) TRANSMIT DATA (BASED ON STORED CONNECTION ID) REVERSE CONVERSION PROCESS [2 RECEIVE DATA S21 RECEIVE DATA TO FIG. 2(A) DISPLAY S23

							9	REPRESENTATIVE PASSWORD	passA	passB	passC		
AUTHENTICATION TABLE	ID ID, etc.)		opt1				DESIGNATION CONVERSION TABLE	REPRESENT	:				
	OPTION ID (ORGANIZATION ID, etc.)				•			REPRESENTATIVE ID	GGG + USER ID + OPTION ID	FFF + USER ID + OPTION ID	HHH + USER ID + OPTION ID		
	AUTHORIZED INFORMATION (DESIGNATION ID)	AAA, BBB	333		• •				GGG + USER	FFF + USER	Nasu + Hhh		
				•		*		DESIGNATION URL	www.ggg.co.jp	www.fff.co.jp	www. hhh. co. jp	www. fujitsu. co. jp	
	PASSWORD	pass1	pass2					<u> </u>	WWW.	www.	www.	www.	
	USER ID P	user1	user2		•			DESIGNATION ID	AAA	BBB	<u> </u>	मनन्	
\bigoplus_{Θ}						•			↑ ⊗			† ©	
(a)							(e)						
-1G.4													




FIG.6




FIG.7




FIG.8






FIG.9





LINE MARKED WITH ★ ··· COVERTED THROUGH "CONVERSION OF SETTING INFORMATION OF COKIE" LINE MARKED WITH ☆ ··· COVERTED THROUGH "CONVERSION BASED ON URL"